

TECHNICAL QUESTIONNAIRE SEALING SYSTEM

| 1. Application Description | | |
|---------------------------------|---------------------------------------------------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 2. Dynamic contact surface | | |
| Diameter (mm): | Temperature range (°C): | |
| Material: | Stroke frequency: | |
| Surface Quality/Finish (Ra μm): | Stroke length (mm): | |
| Rmr | Linear speed (m/s): | |
| Hardness (HRC): | Rotation speed (rpm) (min-1): | |
| | Rotation direction: | |
| 3. Seal groove | Static eccentricity (mm): | |
| Diameter (mm): | Dinamic eccentricity (mm): | |
| Material: | Work cycle: | |
| Surface Quality/Finish (Ra): | | |
| Hardness (HRC): | Other: | |
| | | |
| 4. Operating Conditions | 5. Special Requests | |
| Fluid: | e.g. approvals, coefficient friction, life-cycle, etc.: | |
| Minimum pressure (MPa): | metion, me cycle, etc | |
| Maximum pressure (MPa): | | |
| Operating pressure (MPa): | 6. Quantity | |
| | Sampling (quantity/pieces): | |
| Customer | Monthly (quantity/pieces): | |
| First and last name: | Annual (quantity/pieces): | |
| Company: | | |
| Address: | | |



Phone n.: Email: